WL S1360 NE


12NC: 859991572200

GTIN (EAN) code: 8003437238246



SENSING THE DIFFERENCE





Product group Built-in Type of control Electronic Type of control Electronic Type of control Electronic Type of control settings - Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 0 Number of induction plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Glass Main colour of product Ĉerná Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	MAIN FEATURES	
Type of control Type of control settings Number of gas burners Number of electric cooking zones Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Glass Main colour of product Electrical connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Minch depth Net weight (kg)	Product group	Hob
Type of control settings Number of gas burners Number of electric cooking zones Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of lectric warming zones Location of control panel Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Mincle depth Net weight (kg)	Construction type	Built-in
Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Glass Main colour of product Černá Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Type of control	Electronic
Number of electric cooking zones Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) 31,3 Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Ne Gas connection N/A Width of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net weight (kg) Net weight (kg)	Type of control settings	-
Number of electric plates 0 Number of radiant plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Glass Main colour of product Černá Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Number of gas burners	0
Number of radiant plates0Number of halogen plates0Number of induction plates4Number of electric warming zones0Location of control panelFrontBasic surface materialGlassMain colour of productČernáElectrical connection rating (W)7200Gas connection rating (W)0Gas typeN/ACurrent (A)31,3Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)120Plug typeNeGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)10.1	Number of electric cooking zones	4
Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Glass Main colour of product Černá Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Number of electric plates	0
Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Glass Main colour of product Černá Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Number of radiant plates	0
Number of electric warming zones Location of control panel Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net veright (kg) Net veright (kg) Front Fora Front Forat Alass N/A N/A Uddass Depth of the product 500 N/A Minimum niche width 560 Niche depth 480 Net weight (kg)	Number of halogen plates	0
Location of control panel Basic surface material Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net reconstruction Front Glass Front Glass Front Glass N/A N/A N/A N/A N/A N/A Satype Ne Satype Ne Gas connection N/A Width of the product Satype Minimum niche height Satype Minimum niche width Satype Minimum niche width Minimum niche width Net weight (kg) 10.1	Number of induction plates	4
Basic surface material Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Miche depth Net weight (kg) Service Gerná Blass Minimum dela ferical (W) Cerná Blass N/A Stepholour Cerná Supply Su	Number of electric warming zones	0
Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Re Gas connection N/A Width of the product Depth of the product Minimum niche height Miche depth Net weight (kg) Net Verifical Supply Cord Net Verifical Supply Net Verificat Supply Net Verifica	Location of control panel	Front
Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type Reas connection N/A Width of the product Depth of the product Depth of the product Minimum niche height Minimum niche width Net weight (kg) Net veright (kg) 7200 0 0 0 0 0 0 0 0 0 0 0 0	Basic surface material	Glass
Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Main colour of product	Černá
Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Electrical connection rating (W)	7200
Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Gas connection rating (W)	0
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Gas type	N/A
Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Current (A)	31,3
Length of Electrical Supply Cord (cm) Plug type Gas connection N/A Width of the product Depth of the product Minimum niche height Minimum niche width Niche depth Net weight (kg) 120 Ne Ne Ne Ne Ne Ne Ne Ne Ne N	Voltage (V)	220-240
Plug type Ne Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Frequency (Hz)	50/60
Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Length of Electrical Supply Cord (cm)	120
Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Plug type	Ne
Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Gas connection	N/A
Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 10.1	Width of the product	590
Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)10.1	Height of the product	54
Minimum niche width560Niche depth480Net weight (kg)10.1	Depth of the product	510
Niche depth 480 Net weight (kg) 10.1	Minimum niche height	28
Net weight (kg) 10.1	Minimum niche width	560
	Niche depth	480
Automatic programmes Ano	Net weight (kg)	10.1
	Automatic programmes	Ano

TECHNICAL FEAT	TURES
Power on indicator	Ano
Number of indicators	4
Type of regulation	Inductor
Type of lid	Without
Residual heat indicator	Separate
Main on/off switch	Ano
Safety device	-
Timer	Ano

ENERGETICKÝ ŠTÍTEK	
Energy input	Electric